



References



## Reference List

1. Alekseeva,L.I., Mednikov,B.L., Piiavskii,S.A., Nasonova,V.A., and Soldatov,D.G. [Pharmacoeconomic aspects of use of structum in osteoarthritis]. *Terapevticheskii arkhiv.* 2001;73: 90-92. (reference # 209 in petition)
2. Anonymous. Etude multicentrique Europeenne sur l'utilisation du sulfate de chondroitine dans la gonarthrose: nouveau regard sur les resultants biochimiques et radiologiques [European multicenter study on effectiveness of chondroitin sulfate in gonarthrosis: a new look at biochemical and radiologic results]. *Presse Medicale.* 2000;29: 15-18. (reference #205 in petition)
3. Bohmer,D., Ambrus,P., Szogy,A., and Haralambie,G.. Die chondropathia patellae des jugendlichen sportles [Chondropathia patellae in young athletes]. *Die Therapiewoche* 1982;32: 4897-4901. (reference #183 in petition)
4. Bourgeois,P., Chales,G., Dehais,J., Delcambre,B., Kuntz,J.L., and Rozenberg,S. Efficacy and tolerability of chondroitin sulfate 1200 mg/day vs chondroitin sulfate 3 x 400 mg/day vs placebo. *Osteoarthritis and Cartilage.* 1998;6 Suppl A: 25-30. (reference #195 in petition)
5. Braham,R., Dawson,B., and Goodman,C. The effect of glucosamine supplementation on people experiencing regular knee pain. *British Journal of Sports Medicine.* 2003;37: 45-49. (reference #173 in petition)
6. Brandt KD. Animal models of osteoarthritis. *Biorheology.* 2002; 39(1-2):221-35.
7. Brandt, K. D., Mazzuca, S. A., Katz, B. P., and Lane, K. A. Doxycycline (Doxy) slows the rate of joint space narrowing (JSN) in patients with knee osteoarthritis (OA). *Proceedings of the American College of Rheumatology.* 2004(abstract);LB22.
8. Bruyere,O., Honore,A., Rovati,L.C., Giacovelli,G., Henrotin,Y.E., Seidel,L., and Reginster,J.Y. Radiologic features poorly predict clinical outcomes in knee osteoarthritis. *Scandinavian Journal of Rheumatology.* 2002;31: 13-16. (reference #111 in petition)
9. Bruyere,O., Honore,A., Ethgen,O., Rovati,L.C., Giacovelli,G., Henrotin,Y.E., Seidel,L., and Reginster,J.Y. Correlation between radiographic severity of knee osteoarthritis and future disease progression. Results from a 3-year prospective, placebo-controlled study evaluating the effect of glucosamine sulfate. *Osteoarthritis and Cartilage.* 2003;11: 1-5.
10. Buckwalter, J.A, Martin, J., and Mankin, H.J. Synovial joint degeneration and the syndrome of osteoarthritis. *Instructional Course Lectures.* 2000;49: 481-489.
11. Charlot,J., Dreiser,R.L., Loyau,G., Masounabe-Puyanne,A., Mazieres,B., Menkes,C.J., and Valat,J.P. Le chondroitine sulfate dans le traitement de la gonarthrose et de la coxarthrose [Chondroitin sulfate in the treatment of gonarthrosis

- and coxarthrosis. 5-months result of a multicenter double-blind controlled prospective study using placebo]. *Revue du Rhumatisme et des Maladies Osteo-Articulaires*. 1992;59: 466-472. (reference #212 in petition)
12. Conrozier,T. and Vignon,E. Die wirkung von chondroitinsulfat bei der behandlung der huftgelenksarthrose eine doppelblindie gegen placebo [The effectiveness of chondroitin sulfate in the treatment of hip joint osteoarthritis: A double-blind study versus placebo]. *Litera Rheumatologica*. 1992;14: 69-75. (reference # 197 in petition)
13. Conrozier,T. Les treatments anti-arthrosiques: efficacite et tolerance des chondroitines sulfates (CS 4&6) [Anti-arthrosis treatments: efficacy and tolerance of chondroitin sulfates (CS 4&6)]. *Presse Medicale*. 1998;27: 1862-1865. (reference #207 in petition)
14. Conte,A., Volpi,N., Palmieri,L., Bahous,I., and Ronca,G. Biochemical and pharmacokinetic aspects of oral treatment with chondroitin sulfate. *Arzneimittelforschung*. 1995;45: 918-925. (reference #119 in petition)
15. Crolle,G. and D'Este,E. Glucosamine sulphate for the management of arthrosis: a controlled clinical investigation. *Current Medical Research and Opinion*. 1980;7: 104-109. (reference #227 in petition)
16. Crook, T.H., Tinklenberg, J., Yesavage, J., Petrie, W., Nunzi, M.G., and D.C. Massari. Effects of Phosphatidylserine in Age-Associated Memory Impairment. *Neurology*. 1991;41: 644-649.
17. D'Ambrosio,E., Casa,B., Bompani,R., Scali,G., and Scali,M. Glucosamine sulphate: a controlled clinical investigation in arthrosis. *Pharmatherapeutica*. 1981;2, 504-508. (reference #228 in petition)
18. Das,A., Jr. and Hammad,T.A. Efficacy of a combination of FCHG49 glucosamine hydrochloride, TRH122™ low molecular weight sodium chondroitin sulfate and manganese ascorbate in the management of knee osteoarthritis. *Osteoarthritis and Cartilage*. 2000;8: 343-350. (reference #220 in petition)
19. Dorland's Illustrated Medical Dictionary. W.B. Saunders. Copyright ©2002. See [http://www.mercksource.com/pp/us/cns/cns\\_hl\\_dorlands.jspzQzpgzEzzSzppdocsSzuszSzcommonzSzdorlandszSzdorlandzSzdm\\_a-b\\_00zPzhtm](http://www.mercksource.com/pp/us/cns/cns_hl_dorlands.jspzQzpgzEzzSzppdocsSzuszSzcommonzSzdorlandszSzdorlandzSzdm_a-b_00zPzhtm).
20. Drovanti,A., Bignamini,A.A., and Rovati,A.L. Therapeutic activity of oral glucosamine sulfate in osteoarthrosis: a placebo-controlled double-blind investigation. *Clinical Therapeutics*. 1980;3: 260-272. (reference #176 in petition)
21. Felson,D.T., Lawrence,R.C., Dieppe,P.A., Hirsch,R., Helmick,C.G., Jordan,J.M., Kington,R.S., Lane,N.E., Nevitt,M.C., Zhang,Y., Sowers,M., McAlindon,T., Spector,T.D., Poole,A.R., Yanovski,S.Z., Ateshian,G., Sharma,L., Buckwalter,J.A., Brandt,K.D., and Fries,J.F. Osteoarthritis: new insights. Part 1: the disease and its risk factors. *Annals of Internal Medicine*. 2000;133: 635-646. (reference #45 in petition)

22. Gross,D. Orale chondroitinsulfatmedikation zur behandlung von arthrosen [Oral chondroitin sulfate medication for the treatment of osteoarthritis]. *Therapiewoche*. 1983;33: 4238-4244. (reference #130 in petition)
23. Houpert,J.B., McMillan,R., Wein,C., and Paget-Dellio,S.D. Effect of glucosamine hydrochloride in the treatment of pain of osteoarthritis of the knee. *The Journal of Rheumatology*. 1999;26: 2423-2430. (reference #175 in petition)
24. IOM/FNB, Institute of Medicine's Food and Nutrition Board. "Dietary Supplements: A Framework for Evaluating Safety." National Academies Press, Washington, DC. 2004; Appendix E.
25. Jorissen, B.L., Brouns, F., Van Boxtel, M.P., Ponds, W.W., Verhey, F.R., Jolles, J and W.J. Riedel. The Influence of Soy-Derived Phosphatidylserine on Cognition in Age-Associated Memory Impairment. *Nutritional Neuroscience*. 2001;4(2): 121-134.
26. L'Hirondel,J.L. Klinische doppelblind-studie mit oral verbreichtem chondroitinsulfat gegen placebo bei der tibiofemoralen gonarthrose (125 patienten) [Clinical double-blind study with orally administered chondroitin sulfate versus placebo for tibiofemoral osteoarthritis of the knee (125 patients)]. *Litera Rheumatologica*. 1992;14: 77-84. (reference #196 in petition)
27. Leeb,B.F., Petera,P., and Neumann,K. Anwendungsbeobachtung von chondroitinsulfat (Chondrosulf®) beiarthrosen der finger- knie- und huftgelenke [Results of a multicenter study of chondroitin sulfate (Condrosulf®) use in arthroses of the finger, knee and hip joints]. *Wiener medizinische Wochenschrift*. 1996;146: 609-614. (reference #200 in petition)
28. Leffler,C.T., Philippi,A.F., Leffler,S.G., Mosure,J.C., and Kim,P.D. Glucosamine, chondroitin, and manganese ascorbate for degenerative joint disease of the knee or low back: a randomized, double-blind, placebo-controlled pilot study. *Military Medicine*. 1999;164: 85-91. (reference #221 in petition)
29. Malaise,M., Marcolongo,R., Uebelhart,D., and Vignon,E. Efficacy and tolerability of 800 mg oral chondroitin 4&6 sulfate in the treatment of knee osteoarthritis: a randomised, double-blind, multicenter study versus placebo. *Litera Rhumatologica*. 1999;24: 31-42. (reference #206 in petition)
30. Mathieu,P. Progression radiologique de l'arthrose femoro-tibiale dans lagonarthrose. Effet chondroprotecteur des chondroitines-sulfates ACS4-ACS6 [Radiological progression of internal femoro-tibial osteoarthritis in gonarthrosis. Chondro-protective effect of chondroitin sulfates ACS4-ACS6]. *Presse Medicale*. 2002;31: 1386-1390. (reference #194 in petition)
31. Mazieres,B., Combe,B., Phan,V.A., Tondut,J., and Grynfeltt,M. Chondroitin sulfate in osteoarthritis of the knee: a prospective, double blind, placebo controlled multicenter clinical study. *The Journal of Rheumatology*. 2001;28: 173-181. (reference #213 in petition)

32. Morreale,P., Manopulo,R., Galati,M., Boccanera,L., Saponati,G., and Bocchi,L. Comparison of the antiinflammatory efficacy of chondroitin sulfate and diclofenac sodium in patients with knee osteoarthritis. *The Journal of Rheumatology*. 1996;23: 1385-1391. (reference #208 in petition)
33. Muller-Fassbender,H., Bach,G.L., Haase,W., Rovati,L.C., and Setnikar,I. Glucosamine sulfate compared to ibuprofen in osteoarthritis of the knee. *Osteoarthritis and Cartilage*. 1997;2: 61-69. (reference #184 in petition)
34. Nakamura, H., Yoshino, Y., Kamata, R., Iwase, I., Sugiyama, Y., Nishioka, K. [The effect of combined glucosamine/chondroitin formula on osteoarthritis and the concentration of serum YKL-40]. *Nippon Seikeigeka Gakkai Zasshi*. 2001;75[3]: S623. (reference #218 in petition)
35. Nasonova,V.A., Alekseeva,L.I., Arkhangel'skaia,G.S., Davydova,A.F., Karmil'tseva,E.A., Kogan,K.M., Mazurov,V.I., Rebrov,A.P., Riabitseva,O.F., Shemerovskaia,T.G., Shmidt,E.I., Iakushin,S.S., and Soldatov,D.G. [Results of the multicenter clinical trial of structum preparation in Russia]. *Terapevticheskii arkhiv*. 2001;73: 84-87. (reference #211 in petition)
36. Nguyen,P., Mohamed,S.E., Gardiner,D., and Salinas,T. A randomized double-blind clinical trial of the effect of chondroitin sulfate and glucosamine hydrochloride on temporomandibular joint disorders: a pilot study. *Cranio*. 2001;19: 130-139. (reference #222 in petition)
37. Noack,W., Fischer,M., Forster,K.K., Rovati,L.C., and Setnikar,I. Glucosamine sulfate in osteoarthritis of the knee. *Osteoarthritis and Cartilage*. 1994;2: 51-59. (reference #178 in petition)
38. Palmieri, G., Palmieri, R., Inzoli, M.R., Lombardi, G., Sottini, C., Tavolato, B., and G. Giometto. Double-Blind Controlled Trial of Phosphatidylserine in Patients with Senile Metal Deterioration. *Clinical Trials Journal*. 1987;24(1): 73-83.
39. Pavelka,K., Gatterova,J., Olejarova,M., Machacek,S., Giacovelli,G., and Rovati,L.C. Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. *Archives of Internal Medicine*. 2002;162: 2113-2123. (reference #180 in petition)
40. Pipitone,V., Ambanelli,U., Cervini,C., Ligniere,G.C., Ugo,G.T., Ferraris,M., Marcolongo,R., Megale,F., Serni,U., Trotta,F., and Martino,F. A multicenter, triple-blind study to evaluate galactosaminoglycan sulfate versus placebo in patients with femorotibial gonarthrosis. *Current Therapeutic Research*. 1992;52: 608-638. (reference #203 in petition)
41. Pujalte,J.M., Llavore,E.P., and Ylescupidez,F.R. Double-blind clinical evaluation of oral glucosamine sulphate in the basic treatment of osteoarthritis. *Current Medical Research and Opinion*. 1980;7: 110-114. (reference #179 in petition)

42. Qiu,G.X., Gao,S.N., Giacovelli,G., Rovati,L., and Setnikar,I. Efficacy and safety of glucosamine sulfate versus ibuprofen in patients with knee osteoarthritis. *Arzneimittelforschung*. 1998;48: 469-474. (reference #185 in petition)
43. Reginster,J.Y., Deroisy,R., Rovati,L.C., Lee,R.L., Lejeune,E., Bruyere,O., Giacovelli,G., Henrotin,Y., Dacre,J.E., and Gossett,C. Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. *Lancet*. 2001;357: 251-256. (reference #181 in petition)
44. Riccieri,V., Spadaro,M., and Taccari,E. Preliminary observations on the therapeutic activity and tolerability of galactosaminoglycuronoglycan sulfate (GAGGs) in the therapy of hips and knees osteoarthritis. Open evaluation of two different pharmaceutical preparations [Osservazioni preliminari sull'attività terapeutica e la tollerabilità del galattosaminoglicuronoglican solfato (GAGGs) nella terapia dell'artrosi dell'anca e dei ginocchio. Valutazione aperta di due differenti preparazioni farmaceutiche]. *Farmaci and Terapia (International Journal on Drugs and Therapy)*. 1991;8: 62-65. (reference #204 in petition)
45. Rindone,J.P., Hiller,D., Collacott,E., Nordhaugen,N., and Arriola,G. Randomized, controlled trial of glucosamine for treating osteoarthritis of the knee. *The Western Journal of Medicine*. 2000;172: 91-94. (reference #174 in petition)
46. Ronca,F., Palmieri,L., Panicucci,P., and Ronca,G. Anti-inflammatory activity of chondroitin sulfate. *Osteoarthritis and Cartilage*. 1998;6 Suppl A: 14-21. (reference #131 in petition)
47. Rovetta,G., Monteforte,P., Molfetta,G., and Balestra,V. Chondroitin sulfate in erosive osteoarthritis of the hands. *International Journal of Tissue Reactions*. 2002;24: 29-32. (reference #215 in petition)
48. Serni,U., Marin,G., Matucci,A., Dal Pozzo,G.C., Petacchi,D., Naldoni,G.C., and Taverni,N. New joint imaging tools in osteoarthritis. I--Validation and preliminary experience with GGGS treatment. *International Journal of Clinical Pharmacology Research*. 1993;13 Suppl: 43-47. (reference #202 in petition)
49. Shankland,W.E. The effects of glucosamine and chondroitin sulfate on osteoarthritis of the TMJ: a preliminary report of 50 patients. *Cranio*. 1998;16: 230-235. (reference #223 in petition)
50. Schenk, R.C., Clare, D.J., Gilley, J.S., Greeson, J., Gault, T., DeLee, J.C. Role of glucosamine/chondroitin sulfate formula in treatment of an osteochondral impaction injury in a collegiate basketball player. *Orthopedic Technology Review*. 2000;2: 12-15.
51. Spilker, B. Guide to Clinical Studies. Raven Press, New York, New York, 1991: p. 47, 59-64, 498, 793.

52. Stedman's Medical Dictionary. Lippincott Williams & Wilkins. Copyright ©2004. See <http://www.stedmans.com/>.
53. Tapadinhos,M.J., Rivera,I.C., and Bignamini,A.A. Oral glucosamine sulphate in the management of arthrosis: report on a multi-centre open investigation in Portugal. *Pharmatherapeutica*. 1982;3: 157-168. (reference #182 in petition)
54. Thie,N.M., Prasad,N.G., and Major,P.W. Evaluation of glucosamine sulfate compared to ibuprofen for the treatment of temporomandibular joint osteoarthritis: a randomized double blind controlled 3 month clinical trial. *The Journal of Rheumatology*. 2001;28: 1347-1355. (reference #187 in petition)
55. Thilo,G. Etude de 35 cas d'arthrose traites par l'acide chondroïtine sulfureux [A study of 35 cases of arthrosis treated with chondroïtine sulphuric acid]. *Schweizerische Rundschau fur Medizin Praxis*. 1977;66: 1696-1699. (reference #210 in petition)
56. Uebelhart,D., Thonar,E.J., Delmas,P.D., Chantraine,A., and Vignon,E. Effects of oral chondroitin sulfate on the progression of knee osteoarthritis: a pilot study. *Osteoarthritis and Cartilage*. 1998;6 Suppl A: 39-46. (reference #193 in petition)
57. van Blitterswijk, W.J., van de Nes, J.C, and Wuismans P.I. Glucosamine and chondroitin sulfate supplementation to treat symptomatic disc degeneration: biochemical rationale and case report. *BMC Complementary and Alternative Medicine*. 2003;3: 2.
58. Vas,A. Double-blind clinical evaluation of the relative efficacy of ibuprofen and glucosamine sulfate in the management of osteoarthritis of the knee in outpatients. *Current Medical Research and Opinion*. 1982;8: 145-149. (reference #186 in petition)
59. Verbruggen,G., Goemaere,S., and Veys,E.M. Chondroitin sulfate: S/DMOAD (structure/disease modifying anti-osteoarthritis drug) in the treatment of finger joint OA. *Osteoarthritis and Cartilage*. 1998;6 Suppl A: 37-38. (reference #198 in petition)
60. Vetter,G. Lokale therapie der arthrosen mit glukoaminen (Dona 200) [Topical therapy of arthroses with glucosamines (Dona 200)]. *Munchener Medizinische Wochenschrift*. 1969;111: 1499-1502. (reference #226 in petition)
61. Villardita, C., Grioli, S., Salmeri, G., Nicoletti, F., and G. Pennisi. Multicentre clinical trial of brain PS in elderly patients with intellectual deterioration. *Clinical Trials Journal*. 1987;24(1): 84-93.